

ITMA ASIA 2005

(2)

(3)

가 1,000m/ ITMA'99 ,

가 , 가

. ,

. ,

.

,

.

Trützchler() JINGWAY .

1) Totota ()

DX9 2D . 1,000m/ , 5-over-4

. DX8S-LT (1D) ,

(2D)

2) Rieter ()

D 35 RSB D40 1D . ,

. 4-over-3 ,

1,100m/ , 3가

T&G
가


3) Trützchler ()

HSR-1000 TD-03-1D

, 4-over-3

, AUTO DRAFT force

()< 5>.




< 5> Trützchler TD-03 AUTO DRAFT

가 가 가 ,
가 . force

가

< 6>.



< 6> Trützchler TD-03

4)

JINGWAY : 1,000m/ . 1D.

5)

ITMA'99 OE
 , Trützchler IDF-R

3 ,

,

. OE ,

.

< >

Rieter : C60 + RSB ()

Trützchler : TC 03 + IDF-R(, OE)

(4)

, Rieter 가 Ω

LAP .

1) Toyota ()

HL-100, SL-100 .

2) Rieter () : Ω LAP

UniLAP Toyota HL-100

.

가 Ω Ω LAP .

()

,

Rieter

(5)

Rieter E 65/75 450 /

350 ~ 400 /

Uni comb

, High

comb

가

Uni comb

High comb

가 Uni comb

Uni comb

Marzoli , Lakshmi M.W. , HONG YUAN

1) Toyota ()

VC 5A

. 400 /

. VC 5

PP

, PP

가

, 가

가

VC 5

가

High comb


2) Rieter ()

E-62/72


E-65/75

. , Graf

Ri-Q-Top()< 7>, PRIMACOMB(Uni comb)< 8>



< 7> Rieter Ri-Q-Top Comb



< 8> Rieter PRIMACOMB

CAPD(Computer Aided Process Development)

E 62/72

, (420 → 450)가 가

.

,

.

3)

Marzoli () : 400 /

Lakshmi M.W. () : 400 /

HONG YUAN : 350 /