

()

.

Rieter

() ,

가 가 .

.

Toyoda 가

(build in type)

Howa

.

가 ,

1/3

.

가 ,

.

.

가 .

< 67>

.

.

“0” ,

가

.

Zinser

가 .

. Howa
 , Toyoda
 .
 가 .



< 67> (Zinser 660)

, ITMA'83 SACM 가 ,
 Rieter F3 가

F1/1

1) Howa RME

RMD< 68> <

69> RMD

, 가

()

가

信號 滿


10 (120)

RAD

4


가

가



< 68> Howa RME

RMD



< 69> Howa RME RAD

2) Toyoda FL16

FL16

FL16



< 70> Toyoda FL 16A


< 70> FL16

< 71 A> ,

< 71 B>

가 ,
積載가

가 < 71 C>



< 71> (Toyota FL16A)

A: B: C:

가 가

가 驅動系 ,


密閉形

3) Zinser 660


가

< 72>

< 67>



< 72> Zinser 660



< 73> Textima 1505/1-R

Toyoda FL16

，
硬化鋼製
3 6~12가
MBK (Murao)
가 가

4) Textima 1505/1-R

， 600~1,800rpm
가 , 44m/min 3
4
가 4~8, 6~12
가
가
防護用
가
가 가
가 가

가


附帶 (

),


集中 , 伝導機構

가

2 6,900) 가 .
가



< 74> (Murao)



< 75>

Murao TM-1F

< 74>가

< 75>

, 가

,

가 1F

• X •

가

< 75>

低部 植毛

綿狀

. 1F

集積量

가

가