

Open-End

1.

Rotor

open-end

ring

OE

ring

.

open-end

rotor

가

가

fleece

가

가

moiré

.

ring

open-end

.

open-end

OE

1 gram 4mg

1

가 0.15mg

. OE

.

OE

.

OE

.

ring

2

가

ring

	ring		
cleaning point		buckley beater	superior cleaner
가	beating point	가	2
	tandem card		.
OE			OE

2. OE

OE

ring

.

가

가

가

moiré effect

.


superio

cleaner, buckley beater saw toothed roller

condenser

. <

 $1>$



- | | |
|----------------------|--------------------------|
| A. (1) condenser | (2) reserve box |
| (3) superior cleaner | (4) single beater opener |
| B. (5) condenser | (6) girnette opener |
| C. (7) condenser | (8) reserve box |
| (9) superior cleaner | (10) tuft feeder |

< 1 >

OE

ring

OE

ring

가

. Ring

high

speed card

web

press roll

balloon

OE

OE

OE

tandem card

. Tandem card


1 card web가 press roll 100 draft
2 card metallic wire 1card
fine pitch .

3. OE rotor rotor

Ring 가 front roller 가
가
stroboscope
가 .
OE . OE Sliver
combing roll 가
rotor sliver가 combing roller
rotor
가
combing roll rotor
가 . sliver가
combing roll combing roller가 sliver
가 rotor 가 rotor
fleece가 가 가
rotor fleece가 가 rotor
fleece 가
.



< 2> A



< 2> B

< 2> rotor rotor fleece가 가
 (a) 가
 (b) rotor bridging fibre가

< 2> (a) rotor peeling point가 rotor

가 (b)

bridging fibre가 peeling point가 rotor

가 fleece가 rotor .

가 fleece rotor take-up

.

Rotor bridging fibre가 peeling point가

rotor rotor

. combing roll

가 peeling point

bridging fiber .

bridging fibre가 rotor

. Rotor seed yarn

rotor fleece fleece

torque가 fleece

. rotor

fleece가 torque

가 fleece가 peeling point

peeling point가 rotor rotor

.

OE sliver

가 .

4.

OE

card

OE ○

OE

.

1

2

가

.

OE

가

.

.

OE

rotor

.

carding draft

.

tandem card

OE

.