

- 3. (14) -

4.2

“4.1 ” , , .

< 4-8>

1		1) 가 2) (neck) 가 0.1 . 3) 0.05 . 4)
2		0.1 0.1 , 가 .
3		0.2 .
4		1) 1.6 . 2) 가 3) , 0.2 4) 가 ± 2 .
5		0.2 가 0.4

6		가
7		
8	,	0.4 가
9		, 가 1.5
10		.
11		가
12		가
13		
14		0.4
15		가 가
16		0.3 가
17	BKT	0.4 가
18		0.4
19		.
20		

4.3

가

.

가 ,

.

, , ,

(1)

，
，
가
가
가
(eveness tester),
(spectro graph)

(2)

，
，
.
1 2 (R. L)
.
+0.1mm
0.05mm
，
，
.

(3) (cap bar gauge)

가 ,
.

가

(cap bar neb) 가 가

.

가 가 가 , (finger)

.

.

.

가

.

(4)

, 가 .

, .

가? 가 .

(weight wire)가

가?

(lock nut)가 가? (

(nut), (washer) .)

(5)

가

(6)

가

(metal)

가


가

1)


< 4-1~15>

2)


A : (ball roller needle) B : (plain metal)
 C : D : E : (bath)
 F : G : H : (magnet clutch)
 J : K :
 L : (neck)
 M : , (coupling)




< 4-1>




< 4-2>




< 4-3>




< 4-4>




< 4-5 >




< 4-6 >




< 4-7>




< 4-8> - 0 -




< 4-9>




< 4-10>




< 4-11>




< 4-12>




< 4-13>



< 4-14>



< 4-15>



< 4-16>

(7) (clearer)

, , .

，

가

．

(clearer cloth)

，

，

가

．