

가

- (2) -

2.

가 - -

3가 .

.

- - - -

가

.

U-Box, , J-Box .

(1)

-

-

-

(2)


-

-

(3)

Cilander SWM3

Menzel



< 6>

(Menzel


Cilander SWM 3)

A


Ciander

B

C




< 7> BEN-EXTRACTA sash compartment(Benninger )



< 8> LAVAPRINT(MCS )

“LAVAPRINT SOFT” (impregnation), (Stabilization), (Relax  
tion) 3가 가 .



< 9> KTM

● KTM Multiflex

가 가 .

가

가 .


● Brueckner COLORADO

COLORADO

가 . 가

, , , , .

가 overflow 가




< 10> Brueckner


• MCS

Jet Overflow 가

8 1



< 11>



< 12> (MCS )

(4)

• ( )

, ,

, , , , , ,

가 .



Bobcock


Hydro-tex

25m

12

가





< 13> Bobcock

•


가

- 600mm

- 250/

-

-



Bobcock

Power-Tex

가

가

nip angle washing


- 21m

- 1800-3400mm

- / 가

- Relax drive

- 150m/min




< 14> Bobcock Powertex

가 doctor 가

가

가

가



가 nip angle nip angle

가 ,

pouring channel

가 .



● Spray-Flow

Spray-Flow

Flow

가

가

Spray-

overfeed가

가

가 가

가 가 ( : lycra blends).

가

, , ,

가

- 5m

- 1600-4200mm

- 가

- 3


- 80 m/min

- 50-100m<sup>3</sup>/h

- 290 l/min

- 
- 
- 
- 
- 
- 
- 
- Cold-Pad Batch
- 
- Flat-jet
- 가

가 가 .



Spray-Flow

가

가

overfeed

