

< >

•

,

가 가 .

(浸透)

,

(連續) 가

(拔糊), (精練)

(糊劑) (澱粉) PVA(polyvinyl alcohol)

(polyacrylic acid) (polymer)

2 ~ 3가

	PVA				
	4.0%	2.0%	0.5%		0.5%
	1.4%	6.0%	-		0.5%
	PVA				
	-	7.0%	0.62%		0.5%
	2.8%	1.0%	0.5%		0.5%
/	PVA		CMC		
	5.5%	2.5%	0.2%	0.3%	0.6%
/	PVA				
	5.8%	2.2%	0.6%		0.7%

1.

가. 1/100N(Normal) (Jod “ -iodine” 滴定液)
(青色)

10g 200Mℓ(cc) 10 (抽出)
5Mℓ 1/100N

2. (PVA)

가. (chromic acid)

50% 가 , (攪拌棒)

. PVA가 (褐色)

10g 200Mℓ 10 , PVA
5Mℓ (tannin) 5

PVA가

10g 200Mℓ 10 , 5Mℓ
1/100N ,

a. : (靑紫色) , (比
較液) , (飽和) (硼酸, boric acid)
. PVA가 (深靑紫色)

b. : ,
PVA가

3.

(cationic dye)

(比較試料)

가

: Sumiacrylic Blue N-3 G/L 1g/l

(醋酸): 0.3g/l(pH 4)

, : 50 , 2

. ♣